

ESSENTIAL FINISHING TOUCHES


The Plaskerb range of Kerbs and Accessories has been specifically designed to give that distinctive edge to your driveway, path or patio. Edging not only looks good but it is essential to prevent the escape of the laying course material from beneath the paving. Laid along the perimeter of a paved area, Plaskerb units also help to support traffic loads. They contain lateral movement and prevent rotation of the blocks under load.




PLASKERB EDGE RESTRAINTS

The Plaskerb range comprises of Large and Small Kerbs, a Weathered Plaskerb and a range of special Radial Plaskerbs. A supplementary range of units is also available to suit a variety of applications - see page 3 for details


PLASKERB EDGE RESTRAINTS



LARGE KERB



SMALL KERB



WEATHERED PLASKERB

HIGH BULLNOSE CORNER PIECES



INTERNAL 90°



EXTERNAL 90°

HIGH HALF BATTER CORNER PIECES



INTERNAL 90°



EXTERNAL 90°

DIMENSIONS	LARGE KERB	SMALL KERB	WEATHERED KERB		
Size (mm)	200 x 120 x 100	120 x 120 x 100	200 x 160 x 100		
PACK INFORMATION			Laid 200 mm wide	Laid 160 mm wide	Laid 100 mm wide
Linear metres	14.4	21.6 / 25.2*	28.0	22.4	14.1
Pack weight (kg)	720	670 / 782*	1000		

PLASKERB SHOULD BE ORDERED PER LINEAR METRE IN FULL PACKS

*WESTERN DIVISION




Plaskerb[®]
PLASPAVE KERBS & ACCESSORIES

PLASKERB RADIAL BLOCKS

HALF BATTER, CHAMFERED AND BULLNOSE

LARGE RADIAL KERB

Radial Block One




PLASKERB RADIAL BLOCKS have been designed to reduce the need for cutting on site. They are available in two sizes, large and small, and have two different profiles on each block. They can be laid one way with a half batter or the other way with a bullnose edge and are designed to complement the existing range of Plaskerbs and Accessories.

You should discuss the following areas of detail with your paving contractor and these need to be agreed, planned into the design and included in the estimate:-


- KERBS AND OTHER FORMS OF EDGE RESTRAINT
- MANHOLES - see page 3
- DRAINAGE CHANNELS - see page 3

LARGE RADIAL KERB

Radial Block Two





Available in four colours, Red, Buff, Traditional Brindle and Charcoal, they can be used on their own or combined with standard Plaskerbs to create the finishing touches to any drive or patio area.





LOW/SMALL RADIAL KERB

Radial Block Three



LOW/SMALL RADIAL KERB


Radial Block Four




PLASKERB EDGE RESTRAINTS & ACCESSORIES




EDGE RESTRAINTS FOR DRIVEWAYS AND PATHS USING PLASKERB AND PLASPAVE BLOCKS




Edging with **Plaskerb**




Edging with **Weathered Plaskerb**




Edging with **Como Cobblestones**



Edging with **Monopoli Solosetts**





Edging with a double block string course




Edging with a block soldier course

VERSATILE PLASKERB UNITS TO SUIT A RANGE OF APPLICATIONS



PLASMOBILITY **Kerb 99**

Plasmobility Kerb 99 has been designed in accordance with disabled access guidelines



PLASLINE
MINI CHAMFERED PLASPAVE




Plaskerb®
PLASPAVE KERBS & ACCESSORIES

MANHOLES

Plaspave laid in a stretcher or soldier course can be used to make a feature of unsightly ironwork such as manholes. Where the manhole cover has straight sides, blocks can be laid in a stretcher course and butted up against the unit.

Alternatively, a recessed manhole cover can be incorporated into the laying pattern as shown here.




Blocks mortared into position around a cover



PLASKERB CHANNEL BLOCKS

These Channel Blocks are specifically designed to help clear standing water and drainage in most domestic driveway applications.



Concrete block paved areas are impermeable pavements, so a surface water drainage system should be installed. Channels can be constructed using rectangular paving blocks or proprietary drainage channels.

COMO CIRCLE STARTER SETT

This Starter Sett is ideal for use as the centre block of a Como Circle feature.

